

# Package: india (via r-universe)

August 31, 2024

**Type** Package

**Version** 0.1

**Title** Influence Diagnostics in Statistical Models

**Date** 2023-11-01

**Maintainer** Felipe Osorio <felipe.osorios@usm.cl>

**Description** Set of routines for influence diagnostics by using case-deletion in ordinary least squares, ridge estimation [Walker and Birch (1988). <doi:10.1080/00401706.1988.10488370>] and least absolute deviations (LAD) regression [Sun and Wei (2004). <doi:10.1016/j.spl.2003.08.018>].

**Depends** R(>= 3.5.0), fastmatrix, L1pack

**Imports** stats

**License** GPL-3

**LazyLoad** yes

**NeedsCompilation** no

**Author** Felipe Osorio [aut, cre]  
(<<https://orcid.org/0000-0002-4675-5201>>)

**Date/Publication** 2023-11-02 07:50:02 UTC

**Repository** <https://faosorios.r-universe.dev>

**RemoteUrl** <https://github.com/cran/india>

**RemoteRef** HEAD

**RemoteSha** 7e15a9dfe1d6329b2905aa89248623e2b5ed124b

## Contents

cooks.distance . . . . .	2
leverages . . . . .	3
logLik.displacement . . . . .	5
portland . . . . .	6
relative.condition . . . . .	7

<b>Index</b>	<b>9</b>
--------------	----------

---

cooks.distance	<i>Cook's distances</i>
----------------	-------------------------

---

## Description

Cook's distance is a measure to assess the influence of the  $i$ th observation on the model parameter estimates. This function computes the Cook's distance based on leave-one-out cases deletion for ordinary least squares, lad and ridge regression.

## Usage

```
## S3 method for class 'lad'
cooks.distance(model, ...)
## S3 method for class 'ols'
cooks.distance(model, ...)
## S3 method for class 'ridge'
cooks.distance(model, type = "cov", ...)
```

## Arguments

model	an R object, returned by <code>ols</code> , <code>lad</code> or <code>ridge</code> .
type	only required for 'ridge' objects, options available are "1st", "cov" and "both" to obtain the Cook's distance based on Equation (2.5), (2.6) or both by Walker and Birch (1988), respectively.
...	further arguments passed to or from other methods.

## Value

A vector whose  $i$ th element contains the Cook's distance,

$$D_i(\mathbf{M}, c) = \frac{(\hat{\beta}_{(i)} - \hat{\beta})^T \mathbf{M} (\hat{\beta}_{(i)} - \hat{\beta})}{c},$$

for  $i = 1, \dots, n$ , with  $\mathbf{M}$  a positive definite matrix and  $c > 0$ . Specific choices of  $\mathbf{M}$  and  $c$  are done for objects of class `ols`, `lad` and `ridge`.

## References

- Cook, R.D., Weisberg, S. (1980). Characterizations of an empirical influence function for detecting influential cases in regression. *Technometrics* **22**, 495-508. doi:10.1080/00401706.1980.10486199
- Cook, R.D., Weisberg, S. (1982). *Residuals and Influence in Regression*. Chapman and Hall, London.
- Sun, R.B., Wei, B.C. (2004). On influence assessment for LAD regression. *Statistics & Probability Letters* **67**, 97-110. doi:10.1016/j.spl.2003.08.018.
- Walker, E., Birch, J.B. (1988). Influence measures in ridge regression. *Technometrics* **30**, 221-227. doi:10.1080/00401706.1988.10488370

**Examples**

```
# Cook's distances for linear regression
fm <- ols(stack.loss ~ ., data = stackloss)
CD <- cooks.distance(fm)
plot(CD, ylab = "Cook's distances", ylim = c(0,0.8))
text(21, CD[21], label = as.character(21), pos = 3)

# Cook's distances for LAD regression
fm <- lad(stack.loss ~ ., data = stackloss)
CD <- cooks.distance(fm)
plot(CD, ylab = "Cook's distances", ylim = c(0,0.4))
text(17, CD[17], label = as.character(17), pos = 3)

# Cook's distances for ridge regression
data(portland)
fm <- ridge(y ~ ., data = portland)
CD <- cooks.distance(fm)
plot(CD, ylab = "Cook's distances", ylim = c(0,0.5))
text(8, CD[8], label = as.character(8), pos = 3)
```

---

leverages

*Leverages*


---

**Description**

Computes leverage measures from a fitted model object.

**Usage**

```
leverages(model, ...)
## S3 method for class 'lm'
leverages(model, infl = lm.influence(model, do.coef = FALSE), ...)
## S3 method for class 'ols'
leverages(model, ...)
## S3 method for class 'ridge'
leverages(model, ...)

## S3 method for class 'ols'
hatvalues(model, ...)
## S3 method for class 'ridge'
hatvalues(model, ...)
```

**Arguments**

**model** an R object, returned by `lm`, `ols` or `ridge`.

**infl** influence structure as returned by `lm.influence`.

**...** further arguments passed to or from other methods.

**Value**

A vector containing the diagonal of the prediction (or ‘hat’) matrix.

For linear regression (i.e., for “lm” or “ols” objects) the prediction matrix assumes the form

$$\mathbf{H} = \mathbf{X}(\mathbf{X}^T \mathbf{X})^{-1} \mathbf{X}^T,$$

in which case,  $h_{ii} = \mathbf{x}_i^T (\mathbf{X}^T \mathbf{X})^{-1} \mathbf{x}_i$  for  $i = 1, \dots, n$ . Whereas for ridge regression, the prediction matrix is given by

$$\mathbf{H}(\lambda) = \mathbf{X}(\mathbf{X}^T \mathbf{X} + \lambda \mathbf{I})^{-1} \mathbf{X}^T,$$

where  $\lambda$  represents the ridge parameter. Thus, the diagonal elements of  $\mathbf{H}(\lambda)$ , are  $h_{ii}(\lambda) = \mathbf{x}_i^T (\mathbf{X}^T \mathbf{X} + \lambda \mathbf{I})^{-1} \mathbf{x}_i$ ,  $i = 1, \dots, n$ .

**Note**

This function never creates the prediction matrix and only obtains its diagonal elements from the singular value decomposition of  $\mathbf{X}$ .

Function `hatvalues` only is a wrapper for function `leverages`.

**References**

- Chatterjee, S., Hadi, A.S. (1988). *Sensitivity Analysis in Linear Regression*. Wiley, New York.
- Cook, R.D., Weisberg, S. (1982). *Residuals and Influence in Regression*. Chapman and Hall, London.
- Walker, E., Birch, J.B. (1988). Influence measures in ridge regression. *Technometrics* **30**, 221-227. [doi:10.1080/00401706.1988.10488370](https://doi.org/10.1080/00401706.1988.10488370).

**Examples**

```
# Leverages for linear regression
fm <- ols(stack.loss ~ ., data = stackloss)
lev <- leverages(fm)
cutoff <- 2 * mean(lev)
plot(lev, ylab = "Leverages", ylim = c(0,0.45))
abline(h = cutoff, lty = 2, lwd = 2, col = "red")
text(17, lev[17], label = as.character(17), pos = 3)

# Leverages for ridge regression
data(portland)
fm <- ridge(y ~ ., data = portland)
lev <- leverages(fm)
cutoff <- 2 * mean(lev)
plot(lev, ylab = "Leverages", ylim = c(0,0.7))
abline(h = cutoff, lty = 2, lwd = 2, col = "red")
text(10, lev[10], label = as.character(10), pos = 3)
```

---

logLik.displacement      *Likelihood Displacement*


---

## Description

Compute the likelihood displacement influence measure based on leave-one-out cases deletion for linear models, lad and ridge regression.

## Usage

```
logLik.displacement(model, ...)
## S3 method for class 'lm'
logLik.displacement(model, pars = "full", ...)
## S3 method for class 'ols'
logLik.displacement(model, pars = "full", ...)
## S3 method for class 'lad'
logLik.displacement(model, method = "quasi", pars = "full", ...)
## S3 method for class 'ridge'
logLik.displacement(model, pars = "full", ...)
```

## Arguments

model	an R object, returned by <code>lm</code> , <code>ols</code> , <code>lad</code> or <code>ridge</code> .
pars	should be considered the whole vector of parameters ( <code>pars = "full"</code> ), or only the vector of coefficients ( <code>pars = "coef"</code> ).
method	only required for 'lad' objects, options available are "quasi" and "BR" to obtain the likelihood displacement based on Sun and Wei (2004) and Elian et al. (2000) approaches, respectively.
...	further arguments passed to or from other methods.

## Value

A vector whose  $i$ th element contains the distance between the likelihood functions,

$$LD_i(\beta, \sigma^2) = 2\{l(\hat{\beta}, \hat{\sigma}^2) - l(\hat{\beta}_{(i)}, \hat{\sigma}_{(i)}^2)\},$$

for `pars = "full"`, where  $\hat{\beta}_{(i)}$  and  $\hat{\sigma}_{(i)}^2$  denote the estimates of  $\beta$  and  $\sigma^2$  when the  $i$ th observation is removed from the dataset. If we are interested only in  $\beta$  (i.e. `pars = "coef"`) the likelihood displacement becomes

$$LD_i(\beta|\sigma^2) = 2\{l(\hat{\beta}, \hat{\sigma}^2) - \max_{\sigma^2} l(\hat{\beta}_{(i)}, \hat{\sigma}^2)\}.$$

## References

Cook, R.D., Weisberg, S. (1982). *Residuals and Influence in Regression*. Chapman and Hall, London.

Cook, R.D., Pena, D., Weisberg, S. (1988). The likelihood displacement: A unifying principle for influence measures. *Communications in Statistics - Theory and Methods* **17**, 623-640. doi:10.1080/03610928808829645.

Elian, S.N., Andre, C.D.S., Narula, S.C. (2000). Influence measure for the L1 regression. *Communications in Statistics - Theory and Methods* **29**, 837-849. doi:10.1080/03610920008832518.

Sun, R.B., Wei, B.C. (2004). On influence assessment for LAD regression. *Statistics & Probability Letters* **67**, 97-110. doi:10.1016/j.spl.2003.08.018.

## Examples

```
# Likelihood displacement for linear regression
fm <- ols(stack.loss ~ ., data = stackloss)
LD <- logLik.displacement(fm)
plot(LD, ylab = "Likelihood displacement", ylim = c(0,9))
text(21, LD[21], label = as.character(21), pos = 3)

# Likelihood displacement for LAD regression
fm <- lad(stack.loss ~ ., data = stackloss)
LD <- logLik.displacement(fm)
plot(LD, ylab = "Likelihood displacement", ylim = c(0,1.5))
text(17, LD[17], label = as.character(17), pos = 3)

# Likelihood displacement for ridge regression
data(portland)
fm <- ridge(y ~ ., data = portland)
LD <- logLik.displacement(fm)
plot(LD, ylab = "Likelihood displacement", ylim = c(0,4))
text(8, LD[8], label = as.character(8), pos = 3)
```

---

portland

*Portland cement dataset*

---

## Description

This dataset comes from an experimental investigation of the heat evolved during the setting and hardening of Portland cements of varied composition and the dependence of this heat on the percentages of four compounds in the clinkers from which the cement was produced.

## Usage

```
data(portland)
```

**Format**

A data frame with 13 observations on the following 5 variables.

**y** The heat evolved after 180 days of curing, measured in calories per gram of cement.

**x1** Tricalcium aluminate.

**x2** Tricalcium silicate.

**x3** Tetracalcium aluminoferrite.

**x4**  $\beta$ -dicalcium silicate.

**Source**

Kaciranlar, S., Sakallioğlu, S., Akdeniz, F., Styan, G.P.H., Werner, H.J. (1999). A new biased estimator in linear regression and a detailed analysis of the widely-analysed dataset on Portland cement. *Sankhya, Series B* **61**, 443-459.

---

relative.condition	<i>Relative change in the condition number</i>
--------------------	--

---

**Description**

Compute the relative condition index to identify collinearity-influential points in linear models.

**Usage**

```
relative.condition(x)
```

**Arguments**

**x** the model matrix  $\mathbf{X}$ .

**Value**

To assess the influence of the  $i$ th row of  $\mathbf{X}$  on the condition index of  $\mathbf{X}$ , Hadi (1988) proposed the relative change,

$$\delta_i = \frac{\kappa_{(i)} - \kappa}{\kappa},$$

for  $i = 1, \dots, n$ , where  $\kappa = \kappa(\mathbf{X})$  and  $\kappa_{(i)} = \kappa(\mathbf{X}_{(i)})$  denote the (scaled) condition index for  $\mathbf{X}$  and  $\mathbf{X}_{(i)}$ , respectively.

**References**

- Chatterjee, S., Hadi, A.S. (1988). *Sensitivity Analysis in Linear Regression*. Wiley, New York.
- Hadi, A.S. (1988). Diagnosing collinearity-influential observations. *Computational Statistics & Data Analysis* **7**, 143-159. doi:10.1016/01679473(88)900898.

**Examples**

```
data(portland)
fm <- ridge(y ~ ., data = portland, x = TRUE)
x <- fm$x
rel <- relative.condition(x)
plot(rel, ylab = "Relative condition number", ylim = c(-0.1,0.4))
abline(h = 0, lty = 2, lwd = 2, col = "red")
text(3, rel[3], label = as.character(3), pos = 3)
```



# Index

## \* datasets

portland, 6

## \* regression

cooks.distance, 2

leverages, 3

logLik.displacement, 5

relative.condition, 7

cooks.distance, 2

hatvalues, 4

hatvalues.ols (leverages), 3

hatvalues.ridge (leverages), 3

lad, 2, 5

leverages, 3

lm, 3, 5

lm.influence, 3

logLik.displacement, 5

ols, 2, 3, 5

portland, 6

relative.condition, 7

ridge, 2, 3, 5